

The EMBO Journal Vol 14, pp.1129-1135, 1995, Copyright © European Molecular Biology Organization

## Expression of the functional soluble form of human fas ligand in activated lymphocytes

**M Tanaka, T Suda, T Takahashi and S Nagata**

Osaka Bioscience Institute, Japan.

- ▶ Similar articles found in:  
[EMBO Journal Online](#)  
[PubMed](#)
- ▶ [PubMed Citation](#)
- ▶ Search Medline for articles by:  
[Tanaka, M.](#) || [Nagata, S.](#)
- ▶ Alert me when:  
[new articles cite this article](#)
- ▶ [Download to Citation Manager](#)

Fas is a type I membrane protein which mediates apoptosis. Fas ligand (FasL) is a 40 kDa type II membrane protein expressed in cytotoxic T cells upon activation that belongs to the tumor necrosis factor (TNF) family. Here, we found abundant cytotoxic activity against Fas- expressing cells in the supernatant of COS cells transfected with human FasL cDNA but not with murine FasL cDNA. Using a specific polyclonal antibody against a peptide in the extracellular region of human FasL, a protein of 26 kDa was detected in the supernatant of the COS cells. The signal sequence of granulocyte colony-stimulating factor was attached to the extracellular region of human FasL. COS cells transfected with the cDNA coding for the chimeric protein efficiently secreted the active soluble form of human FasL (sFasL). Chemical crosslinking and gel filtration analysis suggested that human sFasL exists as a trimer. Human peripheral T cells activated with phorbol myristic acetate and ionomycin also produced functional sFasL, suggesting that human sFasL works as a pathological agent in systemic tissue injury.

### This article has been cited by other articles:

- Spaggiari, G. M., Contini, P., Carosio, R., Arvigo, M., Ghio, M., Oddone, D., Dondero, A., Zocchi, M. R., Puppo, F., Indiveri, F., Poggi, A. (2002). Soluble HLA class I molecules induce natural killer cell apoptosis through the engagement of CD8: evidence for a negative regulation exerted by members of the inhibitory receptor superfamily. *Blood* 99: 1706-1714 [[Abstract](#)] [[Full Text](#)]
- Selam, B., Kayisli, U. A., Garcia-Velasco, J. A., Arici, A. (2002). Extracellular Matrix-Dependent Regulation of Fas Ligand Expression in Human Endometrial Stromal Cells. *Biol Reprod* 66: 1-5 [[Abstract](#)] [[Full Text](#)]
- Monleon, I., Martinez-Lorenzo, M. J., Monteagudo, L., Lasierra, P., Taules, M., Iturralde, M., Pineiro, A., Larrad, L., Alava, M. A., Naval, J., Anel, A. (2001). Differential Secretion of Fas Ligand- or APO2 Ligand/TNF-Related Apoptosis-Inducing Ligand-Carrying Microvesicles During Activation-Induced Death of Human T Cells. *The JI* 167: 6736-6744 [[Abstract](#)] [[Full Text](#)]
- Snow, A. L., Chen, L. J., Nepomuceno, R. R., Krams, S. M., Esquivel, C. O., Martinez, O. M. (2001). Resistance to Fas-Mediated Apoptosis in EBV-Infected B Cell Lymphomas Is Due to Defects in the Proximal Fas Signaling Pathway. *The JI* 167: 5404-5411 [[Abstract](#)] [[Full Text](#)]
- Ghose, A., Fleming, J., El-Bayoumy, K., Harrison, P. R. (2001). Enhanced Sensitivity of Human Oral Carcinomas to Induction of Apoptosis by Selenium Compounds: Involvement of Mitogen-activated Protein Kinase and Fas Pathways. *Cancer Res* 61: 7479-7487 [[Abstract](#)] [[Full Text](#)]
- Shogren-Knaak, M. A., Alaimo, P. J., Shokat, K. M. (2001). RECENT ADVANCES IN CHEMICAL APPROACHES TO THE STUDY OF BIOLOGICAL SYSTEMS. *Annu. Rev. Cell Dev. Biol.* 17:

405-433 [\[Abstract\]](#) [\[Full Text\]](#)

- Nguyen, Q. D., Uy, H. S., Merchant, A., Medina, C. A., Baltatzis, S., Zhao, T., Zhao, Z.-S., Cantor, H., Foster, C. S. (2001). Effect of Fas and Fas Ligand Deficiency in Resistance of C57BL/6 Mice to HSV-1 Keratitis and Chorioretinitis. *Invest. Ophthalmol. Vis. Sci.* 42: 2505-2509  
[\[Abstract\]](#) [\[Full Text\]](#)
- Matute-Bello, G., Frevert, C. W., Liles, W. C., Nakamura, M., Ruzinski, J. T., Ballman, K., Wong, V. A., Vathanaprida, C., Martin, T. R. (2001). Fas/Fas Ligand System Mediates Epithelial Injury, but Not Pulmonary Host Defenses, in Response to Inhaled Bacteria. *Infect. Immun.* 69: 5768-5776  
[\[Abstract\]](#) [\[Full Text\]](#)
- Silvestris, F., Nagata, S., Cafforio, P., Silvestris, N., Dammacco, F. (1996). Cross-linking of Fas By Antibodies to a Peculiar Domain of gp120 V3 Loop Can Enhance T Cell Apoptosis in HIV-1-infected Patients. *J. Exp. Med.* 184: 2287-2300 [\[Abstract\]](#) [\[Full Text\]](#)
- O'Connell, J., Bennett, M. W., O'Sullivan, G. C., O'Callaghan, J., Collins, J. K., Shanahan, F. (1999). Expression of Fas (CD95/APO-1) Ligand by Human Breast Cancers: Significance for Tumor Immune Privilege. *Clin. Diagn. Lab. Immunol.* 6: 457-463 [\[Abstract\]](#) [\[Full Text\]](#)
- Matute-Bello, G., Liles, W. C., Frevert, C. W., Nakamura, M., Ballman, K., Vathanaprida, C., Kiener, P. A., Martin, T. R. (2001). Recombinant human Fas ligand induces alveolar epithelial cell apoptosis and lung injury in rabbits. *Am. J. Physiol.* 281: L328-335 [\[Abstract\]](#) [\[Full Text\]](#)
- Somma, F., Tuosto, L., Montani, M. S. G., Di Somma, M. M., Cundari, E., Piccolella, E. (2000). Engagement of CD4 Before TCR Triggering Regulates Both Bax- and Fas (CD95)-Mediated. *The JI* 164: 5078-5087 [\[Abstract\]](#) [\[Full Text\]](#)
- Nichols, J. E., Niles, J. A., Roberts, N. J. Jr. (2001). Human Lymphocyte Apoptosis after Exposure to Influenza A Virus. *J. Virol.* 75: 5921-5929 [\[Abstract\]](#) [\[Full Text\]](#)
- Elomaa, O., Pulkkinen, K., Hannelius, U., Mikkola, M., Saarialho-Kere, U., Kere, J. (2001). Ectodysplasin is released by proteolytic shedding and binds to the EDAR protein. *Hum Mol Genet* 10: 953-962 [\[Abstract\]](#) [\[Full Text\]](#)
- Itai, T., Tanaka, M., Nagata, S. (2001). Processing of tumor necrosis factor by the membrane-bound TNF- $\alpha$ -converting enzyme, but not its truncated soluble form. *Eur J Biochem* 268: 2074-2082 [\[Abstract\]](#) [\[Full Text\]](#)
- Huang, J.-H., Tykocinski, M. L. (2001). CTLA-4-Fas ligand functions as a trans signal converter protein in bridging antigen-presenting cells and T cells. *Int Immunol* 13: 529-539  
[\[Abstract\]](#) [\[Full Text\]](#)
- Felderhoff-Mueser, U., Herold, R., Hochhaus, F., Koehne, P., Ring-Mrozik, E., Obladen, M., Bührer, C. (2001). Increased cerebrospinal fluid concentrations of soluble Fas (CD95/Apo-1) in hydrocephalus. *Arch. Dis. Child.* 84: 369-372 [\[Abstract\]](#) [\[Full Text\]](#)
- Hasel, C., Rau, B., Perner, S., Sträter, J., Möller, P. (2001). Differential and Mutually Exclusive Expression of CD95 and CD95 Ligand in Epithelia of Normal Pancreas and Chronic Pancreatitis. *Lab Invest* 81: 317-326 [\[Abstract\]](#) [\[Full Text\]](#)
- Silvestris, F., Tucci, M., Cafforio, P., Dammacco, F. (2001). Fas-L up-regulation by highly malignant myeloma plasma cells: role in the pathogenesis of anemia and disease progression. *Blood* 97: 1155-1164 [\[Abstract\]](#) [\[Full Text\]](#)
- Behrens, C. K., Igney, F. H., Arnold, B., Moller, P., Krammer, P. H. (2001). CD95 Ligand-Expressing Tumors Are Rejected in Anti-Tumor TCR Transgenic Perforin Knockout Mice. *The JI* 166: 3240-3247 [\[Abstract\]](#) [\[Full Text\]](#)
- Joshi, S. S., Tarantolo, S. R., Kuszynski, C. A., Kessinger, A. (2000). Antitumor Therapeutic Potential of Activated Human Umbilical Cord Blood Cells against Leukemia and Breast Cancer. *Clin Cancer Res* 6: 4351-4358 [\[Abstract\]](#) [\[Full Text\]](#)
- Bellone, G., Smirne, C., Carbone, A., Mareschi, K., Dughera, L., Farina, E. C., Alabiso, O., Valente, G., Emanuelli, G., Rodeck, U. (2000). Production and Pro-Apoptotic Activity of Soluble CD95 Ligand in Pancreatic Carcinoma. *Clin Cancer Res* 6: 2448-2455 [\[Abstract\]](#) [\[Full Text\]](#)

- Ferreira, C. G., Tolis, C., Span, S. W., Peters, G. J., van Lopik, T., Kummer, A. J., Pinedo, H. M., Giaccone, G. (2000). Drug-induced Apoptosis in Lung Cancer Cells Is Not Mediated by the Fas/FasL (CD95/APO1) Signaling Pathway. *Clin Cancer Res* 6: 203-212 [[Abstract](#)] [[Full Text](#)]
- Matute-Bello, G., Winn, R. K., Jonas, M., Chi, E. Y., Martin, T. R., Liles, W. C. (2001). Fas (CD95) Induces Alveolar Epithelial Cell Apoptosis in Vivo : Implications for Acute Pulmonary Inflammation. *Am J Pathol* 158: 153-161 [[Abstract](#)] [[Full Text](#)]
- Wei, C.-H., Yagita, H., Masucci, M. G., Levitsky, V. (2001). Different Programs of Activation-Induced Cell Death Are Triggered in Mature Activated CTL by Immunogenic and Partially Agonistic Peptide Ligands. *The JI* 166: 989-995 [[Abstract](#)] [[Full Text](#)]
- Hayashida, M., Kawano, H., Nakano, T., Shiraki, K., Suzuki, A. (2000). Cell Death Induction by CTL: Perforin/Granzyme B System Dominantly Acts for Cell Death Induction in Human Hepatocellular Carcinoma Cells. *EXP BIOL MED* 225: 143-150 [[Abstract](#)] [[Full Text](#)]
- Imai, A., Takagi, A., Horibe, S., Takagi, H., Tamaya, T. (1998). Evidence for Tight Coupling of Gonadotropin-Releasing Hormone Receptor to Stimulated Fas Ligand Expression in Reproductive Tract Tumors: Possible Mechanism for Hormonal Control of Apoptotic Cell Death. *J Clin Endocrinol Metab* 83: 427-431 [[Abstract](#)] [[Full Text](#)]
- Nakashima, T., Sasaki, H., Tsuboi, M., Kawakami, A., Fujiyama, K., Kiriya, T., Eguchi, K., Ichikawa, M., Nagataki, S. (1998). Inhibitory Effect of Glucocorticoid for Osteoblast Apoptosis Induced by Activated Peripheral Blood Mononuclear Cells. *Endocrinology* 139: 2032-2040 [[Abstract](#)] [[Full Text](#)]
- Quirk, S. M., Cowan, R. G., Huber, S. H. (1997). Fas Antigen-Mediated Apoptosis of Ovarian Surface Epithelial Cells. *Endocrinology* 138: 4558-4566 [[Abstract](#)] [[Full Text](#)]
- Sugita, S., Taguchi, C., Takase, H., Sagawa, K., Sueda, J., Fukushi, K., Hikita, N., Watanabe, T., Itoh, K., Mochizuki, M. (2000). Soluble Fas ligand and soluble Fas in ocular fluid of patients with uveitis. *Br. J. Ophthalmol.* 84: 1130-1134 [[Abstract](#)] [[Full Text](#)]
- Su, X., Cheng, J., Liu, W., Liu, C., Wang, Z., Yang, P., Zhou, T., Mountz, J. D. (1998). Autocrine and Paracrine Apoptosis Are Mediated by Differential Regulation of Fas Ligand Activity in Two Distinct Jurkat T Cell Populations. *The JI* 160: 5288-5293 [[Abstract](#)] [[Full Text](#)]
- Ruiz-Ruiz, C., Robledo, G., Font, J., Izquierdo, M., Lopez-Rivas, A. (1999). Protein Kinase C Inhibits CD95 (Fas/APO-1)-Mediated Apoptosis by at Least Two Different Mechanisms in Jurkat T Cells. *The JI* 163: 4737-4746 [[Abstract](#)] [[Full Text](#)]
- Maldonado, M. A., MacDonald, G. C., Kakkanaiah, V. N., Fecho, K., Dransfield, M., Sekiguchi, D., Cohen, P. L., Eisenberg, R. A. (1999). Differential Control of Autoantibodies and Lymphoproliferation by Fas Ligand Expression on CD4+ and CD8+ T Cells In Vivo. *The JI* 163: 3138-3142 [[Abstract](#)] [[Full Text](#)]
- Matute-Bello, G., Liles, W. C., Steinberg, K. P., Kiener, P. A., Mongovin, S., Chi, E. Y., Jonas, M., Martin, T. R. (1999). Soluble Fas Ligand Induces Epithelial Cell Apoptosis in Humans with Acute Lung Injury (ARDS). *The JI* 163: 2217-2225 [[Abstract](#)] [[Full Text](#)]
- Jenkins, M., Keir, M., McCune, J. M. (1999). Fas Is Expressed Early in Human Thymocyte Development But Does Not Transmit an Apoptotic Signal. *The JI* 163: 1195-1204 [[Abstract](#)] [[Full Text](#)]
- Martinez-Lorenzo, M. J., Anel, A., Gamen, S., Monleon, I., Lasier, P., Larrad, L., Pineiro, A., Alava, M. A., Naval, J. (1999). Activated Human T Cells Release Bioactive Fas Ligand and APO2 Ligand in Microvesicles. *The JI* 163: 1274-1281 [[Abstract](#)] [[Full Text](#)]
- Di Somma, M. M., Somma, F., Montani, M. S. G., Mangiacasale, R., Cundari, E., Piccolella, E. (1999). TCR Engagement Regulates Differential Responsiveness of Human Memory T Cells to Fas (CD95)-Mediated Apoptosis. *The JI* 162: 3851-3858 [[Abstract](#)] [[Full Text](#)]
- Seino, K.-i., Iwabuchi, K., Kayagaki, N., Miyata, R., Nagaoka, I., Matsuzawa, A., Fukao, K., Yagita, H., Okumura, K. (1998). Cutting Edge: Chemotactic Activity of Soluble Fas Ligand Against Phagocytes. *The JI* 161: 4484-4488 [[Abstract](#)] [[Full Text](#)]

- Schwarz, A., Grabbe, S., Grosse-Heitmeyer, K., Roters, B., Riemann, H., Luger, T. A., Trinchieri, G., Schwarz, T. (1998). Ultraviolet Light-Induced Immune Tolerance Is Mediated via the Fas/Fas-Ligand System. *The JI* 160: 4262-4270 [[Abstract](#)] [[Full Text](#)]
- Aggarwal, S., Gupta, S. (1998). Increased Apoptosis of T Cell Subsets in Aging Humans: Altered Expression of Fas (CD95), Fas Ligand, Bcl-2, and Bax. *The JI* 160: 1627-1637 [[Abstract](#)] [[Full Text](#)]
- Kim, S., Kim, K.-A., Hwang, D.-Y., Lee, T. H., Kayagaki, N., Yagita, H., Lee, M.-S. (2000). Inhibition of Autoimmune Diabetes by Fas Ligand: The Paradox Is Solved. *The JI* 164: 2931-2936 [[Abstract](#)] [[Full Text](#)]
- Bergmann-Leitner, E. S., Abrams, S. I. (2000). Differential Role of Fas/Fas Ligand Interactions in Cytolysis of Primary and Metastatic Colon Carcinoma Cell Lines by Human Antigen-Specific CD8+ CTL. *The JI* 164: 4941-4954 [[Abstract](#)] [[Full Text](#)]
- Riccioli, A., Starace, D., D'Alessio, A., Starace, G., Padula, F., De Cesaris, P., Filippini, A., Ziparo, E. (2000). TNF- $\alpha$  and IFN- $\gamma$  Regulate Expression and Function of the Fas System in the Seminiferous Epithelium. *The JI* 165: 743-749 [[Abstract](#)] [[Full Text](#)]
- Kuwano, K., Kawasaki, M., Maeyama, T., Hagimoto, N., Nakamura, N., Shirakawa, K., Hara, N. (2000). Soluble Form of Fas and Fas Ligand in BAL Fluid From Patients With Pulmonary Fibrosis and Bronchiolitis Obliterans Organizing Pneumonia. *Chest* 118: 451-458 [[Abstract](#)] [[Full Text](#)]
- Hohlbaum, A. M., Moe, S., Marshak-Rothstein, A. (2000). Opposing Effects of Transmembrane and Soluble Fas Ligand Expression on Inflammation and Tumor Cell Survival. *J. Exp. Med.* 191: 1209-1220 [[Abstract](#)] [[Full Text](#)]
- Liu, J. H., Wei, S., Lamy, T., Epling-Burnette, P. K., Starkebaum, G., Djeu, J. Y., Loughran, T. P. Jr (2000). Chronic neutropenia mediated by Fas ligand. *Blood* 95: 3219-3222 [[Abstract](#)] [[Full Text](#)]
- Strehlow, D., Jodo, S., Ju, S.-T. (-1). . *Proc. Natl. Acad. Sci. U. S. A.* -1: MASTER- [[Abstract](#)] [[Full Text](#)]
- Strehlow, D., Jodo, S., Ju, S.-T. (2000). Retroviral membrane display of apoptotic effector molecules. *Proc. Natl. Acad. Sci. U. S. A.* 97: 4209-4214 [[Abstract](#)] [[Full Text](#)]
- Wollert, K. C., Heineke, J., Westermann, J., Ludde, M., Fiedler, B., Zierhut, W., Laurent, D., Bauer, M. K. A., Schulze-Osthoff, K., Drexler, H. (2000). The Cardiac Fas (APO-1/CD95) Receptor/Fas Ligand System : Relation to Diastolic Wall Stress in Volume-Overload Hypertrophy In Vivo and Activation of the Transcription Factor AP-1 in Cardiac Myocytes. *Circulation* 101: 1172-1178 [[Abstract](#)] [[Full Text](#)]
- Zeytun, A., Nagarkatti, M., Nagarkatti, P. S. (2000). Growth of FasL-bearing tumor cells in syngeneic murine host induces apoptosis and toxicity in Fas+ organs. *Blood* 95: 2111-2117 [[Abstract](#)] [[Full Text](#)]
- Suzuki, I., Fink, P. J. (2000). The dual functions of Fas ligand in the regulation of peripheral CD8+ and CD4+ T cells. *Proc. Natl. Acad. Sci. U. S. A.* 97: 1707-1712 [[Abstract](#)] [[Full Text](#)]
- Houghton, J., Macera-Bloch, L. S., Harrison, L., Kim, K. H., Korah, R. M. (2000). Tumor Necrosis Factor Alpha and Interleukin 1beta Up-Regulate Gastric Mucosal Fas Antigen Expression in Helicobacter pylori Infection. *Infect. Immun.* 68: 1189-1195 [[Abstract](#)] [[Full Text](#)]
- Puppo, F., Contini, P., Ghio, M., Brenci, S., Scudeletti, M., Filaci, G., Ferrone, S., Indiveri, F. (2000). Soluble human MHC class I molecules induce soluble Fas ligand secretion and trigger apoptosis in activated CD8+ Fas (CD95)+ T lymphocytes. *Int Immunol* 12: 195-203 [[Abstract](#)] [[Full Text](#)]
- Nagata, S. (1999). FAS LIGAND-INDUCED APOPTOSIS. *Annu. Rev. Genet.* 33: 29-55 [[Abstract](#)] [[Full Text](#)]
- Dick, A. D., Siepmann, K., Dees, C., Duncan, L., Broderick, C., Liversidge, J., Forrester, J. V. (1999). Fas-Fas Ligand-Mediated Apoptosis within Aqueous during Idiopathic Acute Anterior Uveitis. *Invest. Ophthalmol. Vis. Sci.* 40: 2258-2267 [[Abstract](#)] [[Full Text](#)]
- Fulda, S., Strauss, G., Meyer, E., Debatin, K.-M. (2000). Functional CD95 ligand and CD95 death-inducing signaling complex in activation-induced cell death and doxorubicin-induced apoptosis in leukemic T cells. *Blood* 95: 301-308 [[Abstract](#)] [[Full Text](#)]

- Karas, M., Zaks, T. Z., JL, L., LeRoith, D. (1999). T Cell Receptor-induced Activation and Apoptosis In Cycling Human T Cells Occur throughout the Cell Cycle. *Mol. Biol. Cell* 10: 4441-4450 [[Abstract](#)] [[Full Text](#)]
- Tuominen, I., Vesaluoma, M., Teppo, A.-M., Grönhagen-Riska, C., Tervo, T. (1999). Soluble Fas and Fas ligand in human tear fluid after photorefractive keratectomy. *Br. J. Ophthalmol.* 83: 1360-1363 [[Abstract](#)] [[Full Text](#)]
- Ayroldi, E., D'Adamio, F., Zollo, O., Agostini, M., Moraca, R., Cannarile, L., Migliorati, G., Delfino, D. V., Riccardi, C. (1999). Cloning and Expression of a Short Fas Ligand: A New Alternatively Spliced Product of the Mouse Fas Ligand Gene. *Blood* 94: 3456-3467 [[Abstract](#)] [[Full Text](#)]
- CARDIER, J. E., SCHULTE, T., KAMMER, H., KWAK, J., CARDIER, M. (1999). Fas (CD95, APO-1) antigen expression and function in murine liver endothelial cells: implications for the regulation of apoptosis in liver endothelial cells. *FASEB J.* 13: 1950-1960 [[Abstract](#)] [[Full Text](#)]
- Mitsiades, N., Poulaki, V., Leone, A., Tsokos, M. (1999). Fas-Mediated Apoptosis in Ewing's Sarcoma Cell Lines by Metalloproteinase Inhibitors. *J Natl Cancer Inst* 91: 1678-1684 [[Abstract](#)] [[Full Text](#)]
- Lenardo, M., Chan, F. K.-M., Hornung, F., McFarland, H., Siegel, R., Wang, J., Zheng, L. (1999). MATURE T LYMPHOCYTE APOPTOSIS—Immune Regulation in a Dynamic and Unpredictable Antigenic Environment. *Annu. Rev. Immunol.* 17: 221-253 [[Abstract](#)] [[Full Text](#)]
- Fischer, A., Cavazzana-Calvo, M., Basile, G. D. S., DeVillartay, J. P., Di Santo, J. P., Hivroz, C., Rieux-Laucat, F., Le Deist, F. (1997). NATURALLY OCCURRING PRIMARY DEFICIENCIES OF THE IMMUNE SYSTEM. *Annu. Rev. Immunol.* 15: 93-124 [[Abstract](#)] [[Full Text](#)]
- MOALEM, G., MONSONEGO, A., SHANI, Y., COHEN, I. R., SCHWARTZ, M. (1999). Differential T cell response in central and peripheral nerve injury: connection with immune privilege. *FASEB J.* 13: 1207-1217 [[Abstract](#)] [[Full Text](#)]
- Yamashita, H., Otsuki, Y., Ito, Y., Matsumoto, K., Ueki, K., Ueki, M. (1999). Fas ligand, Fas antigen and Bcl-2 expression in human endometrium during the menstrual cycle. *Mol Hum Reprod* 5: 358-364 [[Abstract](#)] [[Full Text](#)]
- Maeda, T., Yamada, Y., Moriuchi, R., Sugahara, K., Tsuruda, K., Joh, T., Atogami, S., Tsukasaki, K., Tomonaga, M., Kamihira, S. (1999). Fas Gene Mutation in the Progression of Adult T Cell Leukemia. *J. Exp. Med.* 189: 1063-1071 [[Abstract](#)] [[Full Text](#)]
- Strater, J., Mariani, S. M., Walczak, H., Rucker, F. G., Leithauser, F., Krammer, P. H., Moller, P. (1999). CD95 Ligand (CD95L) in Normal Human Lymphoid Tissues : A Subset of Plasma Cells Are Prominent Producers of CD95L. *Am J Pathol* 154: 193-201 [[Abstract](#)] [[Full Text](#)]
- Mitsiades, N., Poulaki, V., Kotoula, V., Leone, A., Tsokos, M. (1998). Fas Ligand Is Present in Tumors of the Ewing's Sarcoma Family and Is Cleaved into a Soluble Form by a Metalloproteinase. *Am J Pathol* 153: 1947-1956 [[Abstract](#)] [[Full Text](#)]
- Micheau, O., Solary, E., Hammann, A., Dimanche-Boitrel, M.-T. (1999). Fas Ligand-independent, FADD-mediated Activation of the Fas Death Pathway by Anticancer Drugs. *J. Biol. Chem.* 274: 7987-7992 [[Abstract](#)] [[Full Text](#)]
- Pentikäinen, V., Erkkilä, K., Dunkel, L. (1999). Fas regulates germ cell apoptosis in the human testis in vitro. *Am. J. Physiol.* 276: 310E-316 [[Abstract](#)] [[Full Text](#)]
- Zauli, G., Gibellini, D., Secchiero, P., Dutartre, H., Olive, D., Capitani, S., Collette, Y. (1999). Human Immunodeficiency Virus Type 1 Nef Protein Sensitizes CD4+ T Lymphoid Cells to Apoptosis via Functional Upregulation of the CD95/CD95 Ligand Pathway. *Blood* 93: 1000-1010 [[Abstract](#)] [[Full Text](#)]
- Bennett, M W, O'Connell, J, O'Sullivan, G C, Roche, D, Brady, C, Kelly, J, Collins, J K, Shanahan, F (1999). Expression of Fas ligand by human gastric adenocarcinomas: a potential mechanism of immune escape in stomach cancer. *Gut* 44: 156-162 [[Abstract](#)] [[Full Text](#)]
- Dockrell, D. H., Badley, A. D., Villacian, J. S., Heppelmann, C. J., Algeciras, A., Ziesmer, S., Yagita, H., Lynch, D. H., Roche, P. C., Leibson, P. J., Paya, C. V. (1998). The Expression of Fas Ligand by

Macrophages and its Upregulation by Human Immunodeficiency Virus Infection. *J. Clin. Invest.* 101: 2394-2405 [\[Abstract\]](#) [\[Full Text\]](#)

- Schneider, P., Holler, N., Bodmer, J.-L., Hahne, M., Frei, K., Fontana, A., Tschopp, J. (1998). Conversion of Membrane-bound Fas(CD95) Ligand to Its Soluble Form Is Associated with Downregulation of Its Proapoptotic Activity and Loss of Liver Toxicity. *J. Exp. Med.* 187: 1205-1213 [\[Abstract\]](#) [\[Full Text\]](#)
- Hasegawa, D., Kojima, S., Tatsumi, E., Hayakawa, A., Kosaka, Y., Nakamura, H., Sako, M., Osugi, Y., Nagata, S., Sano, K. (1998). Elevation of the Serum Fas Ligand in Patients With Hemophagocytic Syndrome and Diamond-Blackfan Anemia. *Blood* 91: 2793-2799 [\[Abstract\]](#) [\[Full Text\]](#)
- Summerfield, A., Knotig, S. M., McCullough, K. C. (1998). Lymphocyte Apoptosis during Classical Swine Fever: Implication of Activation-Induced Cell Death. *J. Virol.* 72: 1853-1861 [\[Abstract\]](#) [\[Full Text\]](#)
- Stokes, T. A., Rymaszewski, M., Arscott, P. L., Wang, S. H., Bretz, J. D., Bartron, J., Baker Jr., J. R., Fiedler, P., Schaetzlein, C. E., Eibel, H., Papoff, G., Stassi, G., De Maria, R., Giordano, C., Galluzzo, A., Bagnasco, M., Ruberti, G., Testi, R. (1998). Constitutive Expression of FasL in Thyrocytes. *Science* 279: 2015-2015 [\[Full Text\]](#)
- Holtz-Heppelmann, C. J., Algeciras, A., Badley, A. D., Paya, C. V. (1998). Transcriptional Regulation of the Human FasL Promoter-Enhancer Region. *J. Biol. Chem.* 273: 4416-4423 [\[Abstract\]](#) [\[Full Text\]](#)
- Dai, C.-H., Price, J. O., Brunner, T., Krantz, S. B. (1998). Fas Ligand Is Present in Human Erythroid Colony-Forming Cells and Interacts With Fas Induced by Interferon gamma to Produce Erythroid Cell Apoptosis. *Blood* 91: 1235-1242 [\[Abstract\]](#) [\[Full Text\]](#)
- Xu, X.-N., Screaton, G. R., Gotch, F. M., Dong, T., Tan, R., Almond, N., Walker, B., Stebbings, R., Kent, K., Nagata, S., Stott, J. E., McMichael, A. J. (1997). Evasion of Cytotoxic T Lymphocyte (CTL) Responses by Nef-dependent Induction of Fas Ligand (CD95L) Expression on Simian Immunodeficiency Virus-infected Cells. *J. Exp. Med.* 186: 7-16 [\[Abstract\]](#) [\[Full Text\]](#)
- Badley, A. D., Dockrell, D., Simpson, M., Schut, R., Lynch, D. H., Leibson, P., Paya, C. V. (1997). Macrophage-dependent Apoptosis of CD4<sup>+</sup> T Lymphocytes from HIV-infected Individuals Is Mediated by FasL and Tumor Necrosis Factor. *J. Exp. Med.* 185: 55-64 [\[Abstract\]](#) [\[Full Text\]](#)
- Hsu, Y.-M., Lucci, J., Su, L., Ehrenfels, B., Garber, E., Thomas, D. (1997). Heteromultimeric Complexes of CD40 Ligand Are Present on the Cell Surface of Human T Lymphocytes. *J. Biol. Chem.* 272: 911-915 [\[Abstract\]](#) [\[Full Text\]](#)
- Mariani, S. M., Matiba, B., Armandola, E. A., Krammer, P. H. (1997). Interleukin 1beta -converting Enzyme Related Proteases/Caspases Are Involved in TRAIL-induced Apoptosis of Myeloma and Leukemia Cells. *J. Cell Biol.* 137: 221-229 [\[Abstract\]](#) [\[Full Text\]](#)
- Wu, J., Wilson, J., He, J., Xiang, L., Schur, P. H., Mountz, J. D. (1996). Fas Ligand Mutation in a Patient with Systemic Lupus Erythematosus and Lymphoproliferative Disease. *J. Clin. Invest.* 98: 1107-1113 [\[Abstract\]](#) [\[Full Text\]](#)
- Biancone, L., Martino, A. D., Orlandi, V., Conaldi, P. G., Toniolo, A., Camussi, G. (1997). Development of Inflammatory Angiogenesis by Local Stimulation of Fas In Vivo. *J. Exp. Med.* 186: 147-152 [\[Abstract\]](#) [\[Full Text\]](#)
- Al-Shamkhani, A., Mallett, S., Brown, M. H., James, W., Barclay, A. N. (1997). Affinity and Kinetics of the Interaction between Soluble Trimeric OX40 Ligand, a Member of the Tumor Necrosis Factor Superfamily, and Its Receptor OX40 on Activated T Cells. *J. Biol. Chem.* 272: 5275-5282 [\[Abstract\]](#) [\[Full Text\]](#)
- Kiener, P. A., Davis, P. M., Starling, G. C., Mehlin, C., Klebanoff, S. J., Ledbetter, J. A., Liles, W. C. (1997). Differential Induction of Apoptosis by Fas-Fas Ligand Interactions in Human Monocytes and Macrophages. *J. Exp. Med.* 185: 1511-1516 [\[Abstract\]](#) [\[Full Text\]](#)
- Kayagaki, N., Yamaguchi, N., Nagao, F., Matsuo, S., Maeda, H., Okumura, K., Yagita, H. (1997). Polymorphism of murine Fas ligand that affects the biological activity. *Proc. Natl. Acad. Sci. U. S. A.*

94: 3914-3919 [[Abstract](#)] [[Full Text](#)]

- Pietravalle, F., Lecoanet-Henchoz, S., Blasey, H., Aubry, J.-P., Elson, G., Edgerton, M. D., Bonnefoy, J.-Y., Gauchat, J.-F.ço. (1996). Human Native Soluble CD40L Is a Biologically Active Trimer, Processed Inside Microsomes. *J. Biol. Chem.* 271: 5965-5967 [[Abstract](#)] [[Full Text](#)]
- Buechner, S. A., Wernli, M., Harr, T., Hahn, S., Itin, P., Erb, P. (1997). Regression of Basal Cell Carcinoma by Intralesional Interferon-alpha Treatment Is Mediated by CD95 (Apo-1/ Fas)- CD95 Ligand-induced Suicide. *J. Clin. Invest.* 100: 2691-2696 [[Abstract](#)] [[Full Text](#)]
- Suda, T., Hashimoto, H., Tanaka, M., Ochi, T., Nagata, S. (1997). Membrane Fas Ligand Kills Human Peripheral Blood T Lymphocytes, and Soluble Fas Ligand Blocks the Killing. *J. Exp. Med.* 186: 2045-2050 [[Abstract](#)] [[Full Text](#)]
- Shiraki, K., Tsuji, N., Shioda, T., Isselbacher, K. J., Takahashi, H. (1997). Expression of Fas ligand in liver metastases of human colonic adenocarcinomas. *Proc. Natl. Acad. Sci. U. S. A.* 94: 6420-6425 [[Abstract](#)] [[Full Text](#)]
- Takahashi, T., Tanaka, M., Ogasawara, J., Suda, T., Murakami, H., Nagata, S. (1996). Swapping between Fas and Granulocyte Colony-stimulating Factor Receptor. *J. Biol. Chem.* 271: 17555-17560 [[Abstract](#)] [[Full Text](#)]
- Schneider, P., Bodmer, J.-L., Holler, N., Mattmann, C., Scuderi, P., Terskikh, A., Peitsch, M. C., Tschoop, J. (1997). Characterization of Fas (Apo-1, CD95)-Fas Ligand Interaction. *J. Biol. Chem.* 272: 18827-18833 [[Abstract](#)] [[Full Text](#)]
- Orlinick, J. R., Elkon, K. B., Chao, M. V. (1997). Separate Domains of the Human Fas Ligand Dictate Self-association and Receptor Binding. *J. Biol. Chem.* 272: 32221-32229 [[Abstract](#)] [[Full Text](#)]
- Chicheportiche, Y., Bourdon, P. R., Xu, H., Hsu, Y.-M., Scott, H., Hession, C., Garcia, I., Browning, J. L. (1997). TWEAK, a New Secreted Ligand in the Tumor Necrosis Factor Family That Weakly Induces Apoptosis. *J. Biol. Chem.* 272: 32401-32410 [[Abstract](#)] [[Full Text](#)]
- Hahne, M., Rimoldi, D., Schröter, M., Romero, P., Schreier, M., French, L. E., Schneider, P., Bornand, T., Fontana, A., Lienard, D., Cerottini, J.-C., Tschoop, J. (1996). Melanoma Cell Expression of Fas(Apo-1/CD95) Ligand: Implications for Tumor Immune Escape. *Science* 274: 1363-1366 [[Abstract](#)] [[Full Text](#)]
- Villunger, A., Egle, A., Marschitz, I., Kos, M., Böck, G., Ludwig, H., Geley, S., Kofler, R., Greil, R. (1997). Constitutive Expression of Fas (Apo-1/CD95) Ligand on Multiple Myeloma Cells: A Potential Mechanism of Tumor-Induced Suppression of Immune Surveillance. *Blood* 90: 12-20 [[Abstract](#)] [[Full Text](#)]
- Accornero, P., Radrizzani, M., Delia, D., Gerosa, F., Kurrle, R., Colombo, M. P. (1997). Differential Susceptibility to HIV-GP120-Sensitized Apoptosis in CD4+ T-Cell Clones With Different T-Helper Phenotypes: Role of CD95/CD95L Interactions. *Blood* 89: 558-569 [[Abstract](#)] [[Full Text](#)]
- Bahr, G. M., Capron, A., Dewulf, J., Nagata, S., Tanaka, M., Bourez, J.-M., Mouton, Y. (1997). Elevated Serum Level of Fas Ligand Correlates With the Asymptomatic Stage of Human Immunodeficiency Virus Infection. *Blood* 90: 896-898 [[Full Text](#)]
- Truman, J.-P., Choqueux, C., Tschoop, J., Vedrenne, J., Le Deist, F., Charron, D., Mooney, N. (1997). HLA Class II-Mediated Death Is Induced Via Fas/Fas Ligand Interactions in Human Splenic B Lymphocytes. *Blood* 89: 1996-2007 [[Abstract](#)] [[Full Text](#)]